

Water and Water Additive Extinguishers

Stored Pressure

Fire Extinguisher Product Specification

MODEL	Water	9 ltr	6 ltr	6 ltr w/additive	3 ltr w/additive
Capacity (litres)		9	6	6	3
Full Weight (kg)		13.25	9.25	9.3	6.7
Height (mm)		610	515	549	445
Cylinder Diameter (mm)		182	162	160	160
Discharge Duration (s)		60	40	30	30
Temperature Range (°C)		5-60	5-60	5-60	5-60
Working Pressure at 20°C		9 bar	9 bar	9 bar	9 bar
Test Pressure		25 bar	25 bar	25 bar	25 bar
Fire Rating		21 A	8 A	21 A	13 A
Kitemarked to BS EN3:2009		Yes	Yes	Yes	Yes

Water extinguishers are suitable for Class A fires involving combustible materials such as wood, paper and textiles. Water is a fast and efficient means of extinguishing these types of materials. It works by using a rapid cooling effect, so that insufficient heat remains to sustain combustion and continuous burning ceases.

Water additive extinguishers use an environmentally friendly additive that greatly enhances effectiveness of the water extinguishers on Class A fires.

FGM Fire Protection reserve the right to change the design and specification of fire extinguishers without prior notice.

